

AC MOTOR RUN CAPACITOR



Part Description	Capacitance	Vac	Case Type	Diameter	Length	Full Box Qty
DR32FD37002	2 μ F	370	Oval	2.156" x 1.321"	1.500"	77
DR32FD37003	3 μ F	370	Oval	2.156" x 1.321"	1.500"	77
DR32FD37004	4 μ F	370	Oval	2.156" x 1.321"	1.500"	77
DR32FD37005	5 μ F	370	Oval	2.156" x 1.321"	1.500"	77
DR32FD37006	6 μ F	370	Oval	2.156" x 1.321"	1.500"	77
DR32FD37075	7.5 μ F	370	Oval	2.156" x 1.321"	2.375"	77
DR32FD3710	10 μ F	370	Oval	2.156" x 1.321"	2.625"	77
DR32FD37125	12.5 μ F	370	Oval	2.156" x 1.321"	3.000"	77
DR32FD3715	15 μ F	370	Oval	2.156" x 1.321"	3.000"	77
DR32FD3720	20 μ F	370	Oval	2.156" x 1.321"	3.750"	40
DR32FD3725	25 μ F	370	Oval	2.156" x 1.321"	3.750"	40
DR37FD3730	30 μ F	370	Oval	2.906" x 1.906"	3.000"	40
DR37FD3735	35 μ F	370	Oval	2.906" x 1.906"	3.750"	40
DR37FD3740	40 μ F	370	Oval	2.906" x 1.906"	3.750"	40
DR37FD3745	45 μ F	370	Oval	2.906" x 1.906"	3.750"	40
DR37FD3750	50 μ F	370	Oval	2.906" x 1.906"	3.750"	40
DR32FB44075	7.5 μ F	440	Oval	2.156" x 1.321"	2.625"	77
DR32FB4410	10 μ F	440	Oval	2.156" x 1.321"	3.000"	77
DR32FB4415	15 μ F	440	Oval	2.156" x 1.321"	3.750"	77
DR37FB4420A	20 μ F	440	Oval	2.906" x 1.906"	3.750"	40
DR37FB4420B	20 μ F	440	Oval	2.906" x 1.906"	3.000"	40
DR37FB4425	25 μ F	440	Oval	2.906" x 1.906"	3.000"	40
DR37FB4430	30 μ F	440	Oval	2.906" x 1.906"	3.000"	40
DR37FB4435	35 μ F	440	Oval	2.906" x 1.906"	3.750"	40
DR37FB4440	40 μ F	440	Oval	2.906" x 1.906"	4.750"	32
DR37FB4445	45 μ F	440	Oval	2.906" x 1.906"	4.750"	32
DR37FB4450	50 μ F	440	Oval	2.906" x 1.906"	4.750"	32
DR21FD37005	5 μ F	370	Round	1.750"	2.000"	64
DR21FD37075	7.5 μ F	370	Round	1.750"	2.000"	64
DR21FD3710	10 μ F	370	Round	1.750"	2.000"	64
DR21FD37125	12.5 μ F	370	Round	1.750"	2.375"	64
DR21FD3715	15 μ F	370	Round	1.750"	2.375"	64
DR21FD3720	20 μ F	370	Round	1.750"	2.625"	64
DR21FD3725	25 μ F	370	Round	1.750"	3.000"	64
DR21FD3730	30 μ F	370	Round	1.750"	3.375"	64

AC MOTOR RUN CAPACITOR



Part Description	Capacitance	Vac	Case Type	Diameter	Length	Full Box Qty
DR21FD3735	35 μ F	370	Round	1.750"	3.750"	64
DR21FD3740	40 μ F	370	Round	1.750"	3.750"	64
DR23FD3745	45 μ F	370	Round	2.000"	3.375"	49
DR23FD3750	50 μ F	370	Round	2.000"	3.750"	49
DR23FD3760	60 μ F	370	Round	2.000"	3.750"	49
DR21FB44005	5 μ F	440	Round	1.750"	2.625"	64
DR21FB44075	7.5 μ F	440	Round	1.750"	2.625"	64
DR21FB4410	10 μ F	440	Round	1.750"	2.625"	64
DR21FB4415	15 μ F	440	Round	1.750"	2.625"	64
DR21FB4420	20 μ F	440	Round	1.750"	3.000"	64
DR21FB4425	25 μ F	440	Round	1.750"	3.750"	64
DR21FB4430	30 μ F	440	Round	1.750"	3.750"	64
DR23FB4435	35 μ F	440	Round	2.000"	3.750"	49
DR23FB4440	40 μ F	440	Round	2.000"	3.750"	49
DR23FB4445	45 μ F	440	Round	2.000"	4.750"	49
DR24FB4450	50 μ F	440	Round	2.500"	3.750"	25
DR24FB4460	60 μ F	440	Round	2.500"	4.750"	25